


# Single Panel Door Screens

## MEASURING GUIDE



### MEASURING A TYPICAL HINGED DOOR FOR THE NET SCREEN OPENING DIMENSIONS

Determine the "NET SCREEN OPENING DIMENSION" (width x height) as measured from where the outside most edges of the retractable screen will rest. Screens are then made to fit these dimensions. Please note that there is a set of ordering instructions listed on either page 2 or 3 of the catalog page for each model. To speed the processing of a request please take care to answer each question when submitting written orders.



#### INSTALLATION TYPE



- OPTION A** Inside the Frame
- OPTION B** Fully Inside the Master Frame
- OPTION C** Outside the Frame

#### RECORD MEASUREMENTS



W \_\_\_\_\_

H \_\_\_\_\_



#### OPTION A (Recommended) INSIDE THE FRAME INSTALLATION (Recess Mounted) at the Brick Mold



#### OPTION B INSIDE THE FRAME INSTALLATION Fully Inside the Master Frame



#### OPTION C OUTSIDE THE FRAME INSTALLATION (Surface Mounted)




For sliding patio doors, terrace doors and other openings, please contact us for additional guidance.

# Double Panel Door Screens

## MEASURING GUIDE

### MEASURING A TYPICAL HINGED DOUBLE DOOR FOR THE NET SCREEN OPENING DIMENSIONS

Determine the "NET SCREEN OPENING DIMENSION" (width x height) as measured from where the outside most edges of the retractable screen will rest. Screens are then made to fit these dimensions. Please note that there is a set of ordering instructions listed on either page 2 or 3 of the catalog page for each model. To speed the processing of a request please take care to answer each question when submitting written orders.



#### INSTALLATION TYPE



- OPTION A** Inside the Frame
- OPTION B** Fully Inside the Frame
- OPTION C** Outside the Frame

#### RECORD MEASUREMENTS

W \_\_\_\_\_



H \_\_\_\_\_

#### OPTION A (Recommended) INSIDE THE FRAME INSTALLATION (Recess Mounted) at the Brick Mold




**MOST COMMON!**

#### OPTION B INSIDE THE FRAME INSTALLATION Fully Inside the Master Frame



#### OPTION C OUTSIDE THE FRAME INSTALLATION (Surface Mounted)



For sliding patio doors, terrace doors and other openings, please contact us for additional guidance.


# Zig Zag and Sheer (Multi-Panel) Screens

## MEASURING GUIDE



### MEASURING FOR THE NET SCREEN OPENING DIMENSIONS

Determine the "NET SCREEN OPENING DIMENSION" (width x height) as measured from where the retractable screen will rest. Screens are then made to fit these dimensions. Please note that there is a set of ordering instructions listed on page 2 of the Zig Zag Screen catalog page. To speed the processing of a request please take care to answer each question when submitting written orders.



### RECOMMENDED INSTALLATION TYPE

INSIDE THE FRAME INSTALLATION

(Recess Mounted)

### RECORD MEASUREMENTS

W \_\_\_\_\_

H \_\_\_\_\_


# Sierra 800 & OLYMPIC SCREENS

## MEASURING GUIDE



### MEASURING FOR THE NET SCREEN OPENING DIMENSIONS

Determine the "NET SCREEN OPENING DIMENSION" (width x height) as measured from where the outside most edges of the retractable screen will rest. Screens are then made to fit these dimensions. Please note that there is a set of ordering instructions listed on page 2 of the catalog page. To speed the processing of a request please take care to answer each question when submitting written orders.



### INSTALLATION TYPE


- OPTION A** Inside the Frame
- OPTION B** Outside the Frame

### RECORD MEASUREMENTS

W \_\_\_\_\_

H \_\_\_\_\_

**OPTION A (Recommended)**  
INSIDE THE FRAME INSTALLATION  
(Recess Mounted) at the Brick Mold



**MOST COMMON!**

**OPTION B**  
OUTSIDE THE FRAME INSTALLATION  
(Surface Mounted)

